

Message

From: Binzley, Ronald A - DNR [Ronald.Binzley@wisconsin.gov]
Sent: 11/5/2020 9:50:58 PM
To: Nelson, Victoria [nelson.victoria@epa.gov]
CC: Letuchy, Alexandra [letuchy.alexandra@epa.gov]; Hill, Maria A - DNR [maria.hill@wisconsin.gov]
Subject: RE: Modification language question
Attachments: DNR_Memorandum_B11_Thilmany_Mill_99-SDD-109.pdf

Hi Victoria,

I apologize for the delay in getting a response to you. Attached is a memorandum from DNR explaining the department's understanding of the modification of B11 authorized by construction permit 99-SDD-109 and how that modification affected applicable emission limitations under the state rules.

If you have any questions or wish to discuss further, please don't hesitate to contact me.

Sincerely,
Ron

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Ronald A. Binzley
Office Phone: (608) 264-9243
Cell Phone: (608) 716-9175
Ronald.Binzley@wisconsin.gov

From: Nelson, Victoria <nelson.victoria@epa.gov>
Sent: Thursday, November 5, 2020 9:27 AM
To: Binzley, Ronald A - DNR <Ronald.Binzley@wisconsin.gov>
Cc: Letuchy, Alexandra <letuchy.alexandra@epa.gov>
Subject: RE: Modification language question

Hi Ron,

Any updates on the Ahlstrom question? Let me know if you need additional information.

Thanks,
Victoria

From: Binzley, Ronald A - DNR <Ronald.Binzley@wisconsin.gov>
Sent: Wednesday, October 14, 2020 1:28 PM
To: Nelson, Victoria <nelson.victoria@epa.gov>
Cc: Letuchy, Alexandra <letuchy.alexandra@epa.gov>
Subject: RE: Modification language question

Hi Victoria,

Thanks for sending this reminder. I did get an okay from Maria Hill to look into this and should be able to get back to you on the question by Friday.

If you need a response sooner, just let me know.

Thanks,
Ron

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Ronald A. Binzley
Office Phone: (608) 264-9243
Cell Phone: (608) 716-9175
Ronald.Binzley@wisconsin.gov

From: Nelson, Victoria <nelson.victoria@epa.gov>
Sent: Wednesday, October 14, 2020 1:19 PM
To: Binzley, Ronald A - DNR <Ronald.Binzley@wisconsin.gov>
Cc: Letuchy, Alexandra <letuchy.alexandra@epa.gov>
Subject: RE: Modification language question

Hi Ron,

I hope this finds you well! Were you able to look into the modification question Sasha and I had for the Ahlstrom Thilmany Mill? Let me know if you have any questions or concerns.

Thanks,
Victoria

Victoria Nelson
Environmental Engineer
Air Enforcement and Compliance Assurance Branch MI/WI Section
U.S. EPA Region 5
312-886-9481

From: Binzley, Ronald A - DNR <Ronald.Binzley@wisconsin.gov>
Sent: Monday, September 21, 2020 3:50 PM
To: Letuchy, Alexandra <letuchy.alexandra@epa.gov>
Cc: Nelson, Victoria <nelson.victoria@epa.gov>
Subject: RE: Modification language question

Hi Sasha,

I could make a meeting on Wednesday from 1 to 2pm. Let me know if that will work for you.

Thanks,
Ron

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Ronald A. Binzley
Office Phone: (608) 264-9243
Cell Phone: (608) 716-9175
Ronald.Binzley@wisconsin.gov

From: Letuchy, Alexandra <letuchy.alexandra@epa.gov>
Sent: Monday, September 21, 2020 3:36 PM
To: Binzley, Ronald A - DNR <Ronald.Binzley@wisconsin.gov>
Cc: Nelson, Victoria <nelson.victoria@epa.gov>
Subject: Modification language question

Hi Ron,

We have some questions about the modification language at NR 406.04(4). Do you have time this week to chat with us?

We are free:
Tuesday, 1-3:30pm, or Wednesday 1-2, or Thurs after 11:30am.

Thanks!

Alexandra (Sasha) Letuchy
Environmental Engineer
Air Enforcement Compliance Assurance Branch MI/WI Section
US EPA Region 5
letuchy.alexandra@epa.gov
312.886.6035